

SUBWAY LAB

by WOW

**light in motion**

**2016**





---

Simplicity is the ultimate form  
of sophistication.

La simplicidad es la forma máxima  
de sofisticación.

**Leonardo da Vinci**





---

Perfection is not a small thing,  
but is made of small things.


La perfección no es cosa pequeña,  
pero está hecha de pequeñas cosas.

**Miguel Ángel**



# Subway Lab

by WOW



light in motion



**Subway Lab**  
by WOW

**1** Line One

**Colours Line One**




- G1. Ice White Gloss
- G2. Natural Gloss
- G3. Cotton Gloss
- G4. Earth Gloss
- G5. Pearl Gloss
- G6. Ash Grey Gloss
- G7. Graphite Gloss
- M1. Ice White Matt
- M2. Natural Matt
- M3. Earth Matt
- M4. Ash Grey Matt
- M5. Graphite Matt

\*Delta M: Only available in Matt/ Solamente disponible en Mate

**Subway Lab**  
by WOW

**1** Line One

**Shapes Line One**



Liso M  
3"x6" / 7,5x15 cm

Canale M  
3"x6" / 7,5x15 cm  
\*8 different pieces randomly mixed

Peak  
3"x6" / 7,5x15 cm  
\*8 different pieces randomly mixed

Delta M  
3"x6" / 7,5x15 cm



Edge M  
0,3"x6" / 0,8x15 cm



Edge Corner  
0,3"x0,3"x0,3" / 0,8x0,8x0,8 cm

**Subway Lab**  
by WOW

**C Canale M**

---

Inspiration Line One

**Colours**

M1

M1. Ice White Matt



**Colours**

M1

M1. Ice White Matt

**Subway Lab**  
by WOW

**D Delta M**

**Inspiration Line One**



Subway Lab  
by WOW

**P L E** Peak + Liso M + Edge M

Inspiration Line One

Colours

M1

G3

M1. Ice White Matt  
G3. Cotton Gloss

Subway Lab  
by WOW

**L** Liso M

Inspiration Line One

Colours

M1


M1. Ice White Matt





**2** Line Two

Colours Line Two




- G1. Ice White Gloss
  - G2. Natural Gloss
  - G3. Cotton Gloss
  - G4. Earth Gloss
  - G5. Pearl Gloss
  - G6. Ash Grey Gloss
  - G7. Graphite Gloss
  - M1. Ice White Matt
  - M2. Natural Matt
  - M3. Earth Matt
  - M4. Ash Grey Matt
  - M5. Graphite Matt
- \*Arch XL + Delta XL: Only available in Matt/ Solamente disponible en Mate


**L2**

- Liso XL
- Dome
- New Bevel
- Edge Corner
- Edge XL
- Delta XL \*
- Arch XL \*

**2** Line Two

Shapes Line Two



 Edge Corner  
0,3"x0,3"x0,3" / 0,8x0,8x0,8 cm

Subway Lab  
by WOW

**L E** Liso XL + Edge XL

Inspiration Line Two

Colours

G7

G7. Graphite Gloss



Subway Lab  
by WOW

**A** Arch XL + Edge XL

---

Inspiration Line Two



Colours

M1

M1. Ice White Matt

Subway Lab  
by WOW

**D** Dome

---

Inspiration Line Two

Colours

M1

M1. Ice White Matt

**Colours**

M1

M1. Ice White Matt

**Subway Lab**  
by WOW

**B E** **New Bevel + Edge XL**

---

**Inspiration Line Two**

Colours

M1

G6

M1. Ice White Matt  
G6. Ash Grey Gloss

Subway Lab  
by WOW

**D L** Delta XL + Liso XL

Inspiration Line Two



**3** Line Three

Colours Line Three




G1. Ice White Gloss  
G3. Cotton Gloss  
G5. Pearl Gloss  
G6. Ash Grey Gloss

M1. Ice White Matt  
M4. Ash Grey Matt  
M5. Graphite Matt



**3** Line Three

Shapes Line Three



Mini Hexa  
6"x7" / 15x17,3 cm

Mini Hexa Canale  
6"x7" / 15x17,3 cm  
\*4 different pieces randomly mixed

Mini Hexa Bevel  
6"x7" / 15x17,3 cm

Chevron A  
2"x9" / 5x23 cm



Chevron B  
2"x9" / 5x23 cm

**Subway Lab**  
by WOW

**M Mini Hexa**

---

**Inspiration Line Three**

**Colours**

M1

M1. Ice White Matt



Colours

M5

M1. Graphite Matt

Subway Lab  
by WOW

**C** Mini Hexa Canale

---

Inspiration Line Three





**Subway Lab**  
by WOW

**B Mini Hexa Bevel**

---

Inspiration Line Three

**Colours**

**G3**

G3. Cotton Gloss



Colours

M1

M4

M5

M1. Ice White Matt  
M4. Ash Grey Matt  
M5. Graphite Matt

Subway Lab  
by WOW

**V** Chevron

Inspiration Line Three





## Layout Solutions/ Ideas de Colocación

---

**Subway Lab**  
by WOW

**1**

**2**

**3**

Colours

M5

M5. Graphite Matt

Subway Lab  
by WOW

**A L E** Arch XL + Liso XL + Edge XL

Inspiration Line Two

Colours

M5

M1

M5. Graphite Matt  
M1. Ice White Matt

Subway Lab  
by WOW

**B L** New Bevel + Liso XL

Inspiration Line Two



Colours

G7

G1

G7. Graphite Gloss  
G1. Ice White Gloss

Subway Lab  
by WOW

**D L** Dome + Liso XL

---

Inspiration Line Two



Colours

G1

G7

G1. Ice White Gloss  
G7. Graphite Gloss



Subway Lab  
by WOW

**B L** New Bevel + Liso XL

---

Inspiration Line Two

**Colours**

M1

M1. Ice White Matt

**Subway Lab**  
by WOW

**DD** Delta XL + Delta M

---

Inspiration Line One + Line Two





Subway Lab  
by WOW

**L C** Liso M + Canale M

Inspiration Line One

Colours

M1

M5

M1. Ice White Matt  
M5. Graphite Matt



Colours

M5

M1. Graphite Matt

Subway Lab  
by WOW

**V** Chevron

Inspiration Line Three



**Subway Lab**  
by WOW

**C Mini Hexa Canale**

---

**Inspiration Line Three**

**Colours**

M1

M1. Ice White Matt



**Subway Lab**  
by WOW

## **F** Floor tiles by WOW

### Porcelain Floors

Compatible with Line One, Line Two & Line Three



More about Floor Tiles by WOW  
[www.wowdesigneu.com](http://www.wowdesigneu.com)

## **F** Floor tiles by WOW

### Shapes




Chevron A  
4"x20,5" / 10x52 cm

Chevron B  
4"x20,5" / 10x52 cm



Trapezium Floor  
4"x9" / 10x23 cm



Hexa Floor  
8"x9" / 20x23 cm

### Colours



Ice White Matt



Ash Grey Matt



Graphite Matt

**Subway Lab**  
by WOW

**H Hexa Floor**

Inspiration Floor tile

**Colours**

M1

M4

M5

M1. Ice White Matt  
M4. Ash Grey Matt  
M5. Graphite Matt



Subway Lab  
by WOW

## T Trapezium Floor

Inspiration Floor tile



### Colours

M1

M4

M5

M1. Ice White Matt  
M4. Ash Grey Matt  
M5. Graphite Matt

## C Chevron Floor + Hexa Floor

Inspiration Floor tiles



### Colours


M1

M5


M1. Ice White Matt  
M5. Graphite Matt

**1 2 3** Line One + Line Two + Line Three


Layout Solutions / Ideas de colocación




Layout solution n° 1




Layout solution n° 2




Layout solution n° 3




Layout solution n° 4




Layout solution n° 5




Layout solution n° 6




Layout solution n° 7




Layout solution n° 8




Layout solution n° 9



Layout solution n° 10




Layout solution n° 11



Layout solution n° 12

**1** Line One

Technical Drawings Line One






**2** Line Two

Technical Drawings Line Two


**L**

Liso XL




**C**

Dome




**B**

New Bevel




**D**

Delta XL




**A**

Arch XL



**E**

Edge XL  
& Corner




**3** Line Three

Technical Drawings Line Three


**M**

Mini Hexa




**C**

Mini Hexa Canale




**B**

Mini Hexa Bevel



**V**








Chevron



**T**

**Technical Features/ Información Técnica**  
Line One + Two + Three

Technical features for Dry-Pressed ceramic tiles with water absorption BIII (E >10%)  
Características técnicas para las baldosas cerámicas prensadas en seco del grupo BIII(E<sub>b</sub>>10%)

FEATURES/ CARACTERÍSTICAS	SPECIFICATION/ ESPECIFICACIÓN	NORMA
 Dimensional Features.	74.0 +/- 0.6 x 149.5 +/-0.6 mm 74.0 +/- 0.6 x 300.0 +/- 0.6 mm	UNE-EN ISO 10545-2:1998
 Water absorption.	E <sub>b</sub> > 10%	UNE-EN ISO 10545-3:1997
 Modulus of rupture and breaking strength.	Thickness ≥ 7,5 mm Mínimo 600 N Thickness ≥ 7,5 mm Mínimo 12 N/mm <sup>2</sup>	UNE-EN ISO 10545-4:2012
 Crazing resistance.	Pass	UNE-EN ISO 10545-11:1997
 Household products resistance.	GA	UNE-EN ISO 10545-13:1998
 Chemical resistance.	GLA	UNE-EN ISO 10545-13:1998
 Stain resistance.	Class 5	UNE-EN ISO 10545-14:1998

**R**

**Recommendations**  
Line One + Two + Three

**BEFORE INSTALLING THE PRODUCT**

The surface where the product is being installed must be clean and level.

It is recommended that the layout of the product is prepared before the final installation.

Make sure you choose an adhesive apt for the area where the product is being installed.

For installation on porous surfaces we recommend: Kerakoll Special® Eco, and for Non-porous surfaces: Kerakoll serie H40® Eco.

Also recommended as grouting mortar: Kerakoll Fugabella® Eco Porcelana 0-5 and for the areas susceptible to stains such as the backsplash: Kerakoll Fugalite® Eco.

**TO ENHANCE YOUR WOW PRODUCT**

In order to obtain the maximum WOW effect, use 1 mm (0 3/64 in) spacers between the tiles to maintain an even installation over the whole surface.

The colour of the grout should be as close as possible to the colour of your product.

Once the area has been grouted, and before the grout dries, remove any excess material with a damp sponge.

To enhance the light and shadow effect of WOW, adequate vertical lighting over the product should be installed (ideally, above the highest point of the installation)

**MAINTENANCE**

Maintenance free. Easy and practical to care for, due to the high standard of technical characteristics in each WOW ceramic product.

Avoid abrasive or acidic cleaning products.

**R**

**Recomendaciones**  
Line One + Two + Three

**ANTES DE LA COLOCACIÓN**

Preparar la superficie sobre la que se va a colocar tu producto WOW. Debe estar limpia y aplomada.

Se recomienda plantear la colocación, previo a su instalación.

Elegir el material de agarre en función de las características de la superficie.

Se recomienda para colocación general en superficies porosas: Kerakoll special® Eco. y para superficies no porosas como el pladur: kerakoll serie H40® Eco.

Se recomienda el tipo de mortero de rejuntado en función de la zona de colocación. Colocación general: Kerakoll fugabella® Eco porcelana 0-5 y para las zonas más susceptibles a manchas como pueda ser la cocina: Kerakoll Fugalite® Eco.

**PARA ENSALZAR EL ASPECTO DE TU PRODUCTO WOW**

Se recomiendan separadores de 1mm. para colocar las piezas y conseguir de esta forma un aspecto WOW optimo.

También se aconseja el color de rejuntado similar al color del producto elegido.






Una vez rejuntado el producto, y antes de que se endurezca, retirar el material sobrante de rejuntado con una esponja mojada en agua.

Para potenciar el pronunciado efecto de luz y sombra sobre cada pieza, es de vital importancia colocar luz cenital, situada verticalmente sobre el producto.






**MANTENIMIENTO**

Práctico y sencillo de limpiar, dadas las excelentes características técnicas del producto WOW, tan sólo es necesario un cuidado rutinario, evitando la utilización de productos abrasivos o ácidos.

ENCAJADO/ PACKING

					
Modelo/ Model	Tamaño/ Size (cm)	Piezas/Caja Pieces/Box	kg/Caja kg/ Box	m <sup>2</sup> /Caja sqm/ Box	cajas/Palet Boxes/ Pallet
Liso M	7,5x15	46	7,42 kg	0,509 m <sup>2</sup>	132
Canale M	7,5x15	42	7,29 kg	0,465 m <sup>2</sup>	132
Peak	7,5x15	32	6,00 kg	0,354 m <sup>2</sup>	132
Delta M	7,5x15	32	6,42 kg	0,354 m <sup>2</sup>	132
Liso XL	7,5x30	23	7,52 kg	0,511 m <sup>2</sup>	132
Dome	7,5x30	14	5,33 kg	0,311 m <sup>2</sup>	132
Arch XL	7,5x30	12	5,35 kg	0,266 m <sup>2</sup>	132
Delta XL	7,5x30	16	6,62 kg	0,355 m <sup>2</sup>	132
New Bevel	7,5x30	16	6,02 kg	0,355 m <sup>2</sup>	132
Mini Hexa	15x17,3	30	8,34 kg	0,578 m <sup>2</sup>	80
Mini Hexa Canale	15x17,3	30	8,60 kg	0,578 m <sup>2</sup>	80
Mini Hexa Bevel	15x17,3	21	6,62 kg	0,405 m <sup>2</sup>	80
Chevron	5x23	23	3,77 kg	0,263 m <sup>2</sup>	150
Edge M	0,8x15	10	0,25 kg	1,495 m	-
Edge XL	0,8x30	10	0,39 kg	3,000 m	-
Edge Corner	0,8x0,8x0,8	-	-	-	-

PACKING

					
Model	Size (in)	Pieces/Box	Lbs/ Box	sq ft/ Box	Box/ Pallet
Liso M	3"x6"	46	16,36 lb	5,479 sq ft	132
Canale M	3"x6"	42	16,07 lb	5,005 sq ft	132
Peak	3"x6"	32	13,23 lb	3,810 sq ft	132
Delta M	3"x6"	32	14,15 lb	3,810 sq ft	132
Liso XL	3"x12"	23	16,58 lb	5,500 sq ft	132
Dome	3"x12"	14	11,75 lb	3,348 sq ft	132
Arch XL	3"x12"	12	11,79 lb	2,863 sq ft	132
Delta XL	3"x12"	16	14,59 lb	3,821 sq ft	132
New Bevel	3"x12"	16	13,27 lb	3,821 sq ft	132
Mini Hexa	6"x7"	30	18,38 lb	6,222 sq ft	80
Mini Hexa Canale	6"x7"	30	18,96 lb	6,222 sq ft	80
Mini Hexa Bevel	6"x7"	21	14,59 lb	4,359 sq ft	80
Chevron	2"x9"	23	8,32 lb	2,831 sq ft	150
Edge M	0,3"x6"	10	0,55 lb	4,905 ft	-
Edge XL	0,3"x12"	10	0,86 lb	9,843 ft	-
Edge corner	0,3"x0,3"x0,3"	-	-	-	-



©2014 Tendencias Cerámicas  
WOW, registered trademark of Tendencias Cerámicas, S.L.

The brand use or reproduction of the contents of this catalog, is protected by copyright law. Any use of the brand or reproduction thereof, in part or total, must be authorized by Tendencias Cerámicas, S.L. Otherwise, this action can be sanctioned according to the Law.

©2014 Tendencias Cerámicas  
WOW, marca registrada por Tendencias Cerámicas, S.L.

La utilización de la marca o la reproducción del contenido de este catálogo está protegida por la Ley de Propiedad Intelectual. Cualquier uso de la marca o la reproducción del mismo, en parte o en su totalidad, debe ser autorizada por Tendencias Cerámicas, S.L., pudiendo, en caso contrario, ser esta acción sancionada de acuerdo con la Ley.

WOW reserves the right to modify and/or discontinue certain models displayed in this catalogue.  
The colour of the pieces displayed herein may differ slightly from originals.  
The settings shown in this catalogue are design proposals for advertising purposes.  
In real situations in wich the pieces are laid, the installation instructions published by WOW should be followed.

WOW se reserva el derecho de modificar y/o suprimir ciertos modelos expuestos en este catálogo sin previo aviso.  
Los colores de las piezas pueden presentar ligeras diferencias respecto a las originales.  
Los ambientes que se muestran en este catálogo son sugerencias decorativas de carácter publicitario,  
debiéndose utilizar en la instalación real las instrucciones de colocación editadas por WOW.





wowdesigneu.com

**WOW headquarters SPAIN**  
Polígono Pont Avda. de España, 114.  
12180 Cabanes (Castellón) España  
Phone: (+34) 964 331 910  
Fax: (+34) 964 331 911  
info@wowdesigneu.com  
wowdesigneu.com

**WOW USA, INC.**  
14887 Persistence Dr.  
Woodbridge, VA 22191  
Phone: (+1) 703 910 6162  
Fax: (+1) 703 910 7486  
wowusa@wowdesigneu.com

**light in motion**

WOW