


Juliantile / Marvel X



Unglazed through body rectified porcelain tile.

Marvel X





Calacatta Apuano - 24" x 48"
MXCAP2448N - Natural
Sq.Ft.: \$13.95 – PC.: \$108.12
MXCAP2448P - Polished
Sq.Ft.: \$17.95 – PC.: \$139.12

Calacatta Apuano - 24" x 48"
MXCAP2448H - Hammered
Sq.Ft.: \$14.95 – PC.: \$115.87

Calacatta Apuano - 24" x 24"
MXCAP24N - Natural
Sq.Ft.: \$10.95 – PC.: \$41.94
MXCAP24P - Polished
Sq.Ft.: \$15.95 – PC.: \$61.09

Calacatta Apuano
MXCAPMOSN - Natural
1.5" x 1.5" on 12" x 12" Mosaic
Sq.Ft.: \$42.95 – PC.: \$41.30



Fior Di Bosco - 24" x 48"
MXFDB2448N - Natural
Sq.Ft.: \$13.95 – PC.: \$108.12
MXFDB2448P - Polished
Sq.Ft.: \$17.95 – PC.: \$139.12

Fior Di Bosco - 24" x 48"
MXFDB2448H - Hammered
Sq.Ft.: \$14.95 – PC.: \$115.87

Fior Di Bosco - 24" x 24"
MXFDB24N - Natural
Sq.Ft.: \$10.95 – PC.: \$41.94
MXFDB24P - Polished
Sq.Ft.: \$15.95 – PC.: \$61.09

Fior Di Bosco
MXFDBMOSN - Natural
1.5" x 1.5" on 12" x 12" Mosaic
Sq.Ft.: \$42.95 – PC.: \$41.30



juliantile.com/marvelx

12" x 12" mosaic packing: 10 sheets. (9.61 sq. ft.) per carton, 1.04 sheets/ sq. ft. Weight: 3.9 lbs. per piece, 39 lbs per carton.
24" X 24" packing: 3 pcs. (11.49 sq. ft.) per carton, 3.83 sq. ft. per piece. Weight: 17 lbs. per piece, 51 lbs per carton.
24" x 48" packing: 2 pcs. (15.50 sq. ft.) per carton, 7.75 sq. ft. per piece. Weight: 38 lbs. per piece, 76 lbs. per carton.

It is recommended that all tile products and related materials be installed as per TTMAC Standards

Floor/Wall Tile



Frost Resist.



Rectified



Env. Policy



Water Absorption



Shade Variation



Mohs



Dynamic Coeff. of Friction



Product of Italy




Juliantile

Unglazed through body rectified porcelain tile.


Marvel X



Calacatta Sublime - 24" x 48"
MXCSU2448N - Natural
Sq.Ft.: \$13.95 – PC.: \$108.12
MXCSU2448P - Polished
Sq.Ft.: \$17.95 – PC.: \$139.12



Calacatta Sublime - 24" x 24"
MXCSU24N - Natural
Sq.Ft.: \$10.95 – PC.: \$41.94
MXCSU24P - Polished
Sq.Ft.: \$15.95 – PC.: \$61.09



Calacatta Sublime
MXCSUMOSN - Natural
1.5" x 1.5" on 12" x 12" Mosaic
Sq.Ft.: \$42.95 – PC.: \$41.30



Calacatta Perla - 24" x 48"
MXCPE2448N - Natural
Sq.Ft.: \$13.95 – PC.: \$108.12
MXCPE2448P - Polished
Sq.Ft.: \$17.95 – PC.: \$139.12



Calacatta Perla - 24" x 24"
MXCPE24N - Natural
Sq.Ft.: \$10.95 – PC.: \$41.94
MXCPE24P - Polished
Sq.Ft.: \$15.95 – PC.: \$61.09



Calacatta Perla
MXCPEMOSN - Natural
1.5" x 1.5" on 12" x 12" Mosaic
Sq.Ft.: \$42.95 – PC.: \$41.30



juliantile.com/marvelx

12" x 12" mosaic packing: 10 sheets. (9.61 sq. ft.) per carton, 1.04 sheets/ sq. ft. Weight: 3.9 lbs. per piece, 39 lbs per carton.
24" X 24" packing: 3 pcs. (11.49 sq. ft.) per carton, 3.83 sq. ft. per piece. Weight: 17 lbs. per piece, 51 lbs per carton.
24" x 48" packing: 2 pcs. (15.50 sq. ft.) per carton, 7.75 sq. ft. per piece. Weight: 38 lbs. per piece, 76 lbs. per carton.

It is recommended that all tile products and related materials be installed as per TTMAC Standards

Floor/Wall Tile



Frost Resist.



Rectified



Env. Policy



Water Absorption



Shade Variation



Mohs



Dynamic Coeff. of Friction



Product of Italy




Juliantile

Unglazed through body rectified porcelain tile.

Marvel X



Grey Cloud - 24" x 48"
MXGCL2448N - Natural
Sq.Ft.: \$13.95 – PC.: \$108.12
MXGCL2448P - Polished
Sq.Ft.: \$17.95 – PC.: \$139.12



Grey Cloud - 24" x 24"
MXGCL24N - Natural
Sq.Ft.: \$10.95 – PC.: \$41.94
MXGCL24P - Polished
Sq.Ft.: \$15.95 – PC.: \$61.09



Grey Cloud
MXGCLMOSN - Natural
1.5" x 1.5" on 12" x 12" Mosaic
Sq.Ft.: \$42.95 – PC.: \$41.30



juliantile.com/marvelx

12" x 12" mosaic packing: 10 sheets. (9.61 sq. ft.) per carton, 1.04 sheets/ sq. ft. Weight: 3.9 lbs. per piece, 39 lbs per carton.
24" X 24" packing: 3 pcs. (11.49 sq. ft.) per carton, 3.83 sq. ft. per piece. Weight: 17 lbs. per piece, 51 lbs per carton.
24" x 48" packing: 2 pcs. (15.50 sq. ft.) per carton, 7.75 sq. ft. per piece. Weight: 38 lbs. per piece, 76 lbs. per carton.

It is recommended that all tile products and related materials be installed as per TTMAC Standards

Floor/Wall Tile



Frost Resist.



Rectified



Env. Policy



Water Absorption



Shade Variation



Mohs



Dynamic Coeff. of Friction



Product of Italy



Juliantile